

<b>Notice of Allowability</b>	<b>Application No.</b> 10/766,290	<b>Applicant(s)</b> DOBRAS ET AL.
	<b>Examiner</b> DIONNE H. PENDLETON	<b>Art Unit</b> 2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to 11/24/2008.

2.  The allowed claim(s) is/are 1-4 6-9 16-21 23-39.

3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)  All b)  Some\* c)  None of the:

1.  Certified copies of the priority documents have been received.

2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.

3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.

(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  
1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.

(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of  
Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)

5.  Notice of Informal Patent Application

2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)

6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.

3.  Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_.

7.  Examiner's Amendment/Comment

4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material

8.  Examiner's Statement of Reasons for Allowance

9.  Other \_\_\_\_\_.

/Wayne Young/  
Supervisory Patent Examiner, Art Unit 2627

## REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to teach or to fairly suggest the earpiece including a connection tube specifically constructed as claimed.

Specifically, the prior art of record fails to teach the provision of a *retainer* for the connection tube, wherein the retainer is specifically constructed to include a *raised ring* and *retaining ridge*, cooperating together to mate and secure the connecting tube with an elongated projection.

The retainer is further described as being *in combination with structure* which permits the longitudinal adjustment of the connecting tube along the length of the projection member, and wherein the retaining ridge also operates to function as a means for preventing disengagement of the connecting tube from the elongated projection when the connecting tube is being adjusted in longitudinal direction away from the elongated projection.

Discussion of related prior art references:

### Taenzer (6,009,183)

While figure 1 teaches an elongated projection (32) having thereon a retaining ring (38), as well as what may be interpreted as a retaining ridge (35) in figure 5, Taenzer teaches that the ring (38) is fixedly held within ridge (35) without any provision for adjusting tube (30) in a longitudinal direction along the length of projection (32).

The same explanation holds true for Figure 3 of Schlaegel (US 5,975,235),

Figure 3 of Jelonek (US 4,381,830) and Figure 1 of Vignini (US 3,813,499).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DIONNE H. PENDLETON whose telephone number is (571)272-7497. The examiner can normally be reached on 10:30-7:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wayne Young can be reached on 571-272-7582. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dionne H Pendleton/  
Examiner, Art Unit 2627

/Wayne Young/  
Supervisory Patent Examiner, Art Unit 2627